

# MAORI 32 FEET OUTBOARD VERSION





- Engine 2 X 300 hp Mercury € 300.000
- Axalt Metallic Paint € 25.000
- Bow and stern awning € 9.000
- Bow thruster € 7.000
- Hard Top € 18.000




**MAORI**  
YACHT

# TECHNICAL SPECIFICATIONS



# TECHNICAL SPECIFICATIONS



**MAORI**  
YACHT

# TECHNICAL SPECIFICATIONS

## EXTERNAL and DECK

- Trefoil anchor in galvanized steel 7.5 kg
- Tilt system still manual
- 8 mm galvanized steel chain 50 meters
- Quick electric windlass with 8 mm gypsy and waterproof control panel
- Bow thruster with 140 mm tunnel
- Veneziani antifouling
- Manuplus perimeter rubrail 55mm x 80 mm
- Quick couplings for fenders, male + female black finish, Seasmart SL 20 (8 Pcs)
- Retractable cleats 240 mm Seasmart black finish
- 65 mm flush hinges, Seasmart black finish
- Seasmart black finish handle closure
- Seasmart fuel tanks black finish
- Seasmart fresh water boarding black finish
- Seasmart waste water drain plug, black finish
- Seasmart gray water drain plug, black finish
- Handle on the console (2 pcs) custom black finish
- Transparent plexiglass front console deflector



# TECHNICAL SPECIFICATIONS

## EXTERNAL and DECK

- Bow table (for 4 people) convertible into a sundeck via gas springs
- Sofa amidships with two refrigerators (35l) and storage
- Stern sofa with dual function backrest for seating towards the stern or towards the bow
- Up and down table which, when rested, together with the two sofas, becomes a single sun lounger
- Custom manual bathroom ladder
- Predisposition for 4 bow awning poles
- Preparation of cups for two stern awning poles
- Quick marine walking lights mod. Tina (black finish)
- Deck covered in Ecodeck or Estek synthetic teak
- Removable shower on deck
- Cushions and sun loungers
- Radio JL
- JL audio speakers (4) + JL subwoofer



# TECHNICAL SPECIFICATIONS

## INSTALLATIONS

- Automatic fire extinguisher in the tank room
- A 1kg fire extinguisher for each area
- Ventilation in technical rooms
- Sensors and alarms for gas and smoke
- Automatic bilge pump Rule 100lt/min (2 pcs)
- Manual bilge pump
- Alarm sensors for monitoring bilges
- Black water system
- Polyethylene waste water tank + 50 l macerator
- Gray water system
- Gray water tank in polyethylene + 50l macerator
- Water system
- 200l polyethylene water tank with autoclave
- Quick/Mastervolt/Victron inverter
- Marinco 16A shore socket with relative 10m cable
- Garmin 12" GPS display
- Trumpet



**MAORI**  
YACHT

# TECHNICAL SPECIFICATIONS

## INSTALLATIONS

- Speaker vents with black finish
- 1000 liter aluminum fuel tank with certification
- Fuel system with primary filters
- Emergency fuel tank closure controlled from the console area
- 12 V system
- Cables and related wiring
- 2 x 160A engine starting batteries
- Service batteries 2 x 220 A
- Disconnect batteries
- Quick/Mastervolt/Victron battery charger
- Garmin sounder
- VHF Garmin
- Custom console panel
- Navigation lights
- Still light



**MAORI**  
Y A C H T

# TECHNICAL SPECIFICATIONS

## INTERIORS and TECHNICAL SPACES

- Floor and step covered in Ecodeck or Estek synthetic teak
- Cell finished in glossy gelcoat
- ARTINOX built-in sink with taps included
- Vitrifrigo DW70 fridge/freezer
- Tecma 12V electric toilet
- Quick interior lights
- All bilges must be finished with a first coat of gelcoat on which the bi-component Veneziano paint will be applied
- All vertical surfaces must be covered with Dibon
- Where required, insulation suitable for petrol engines must be applied



**MAORI**  
Y A C H T